

aura
design

www.auraadesign.co.uk

MINIMO

Desk



Minimo

Minimo

A trendy supporting frame emphasises the Minimo line. A useful cross-cutting system for the projects, which goes from the normal desk way to break area high tables.




Minimo SYNOPTIC GRID

H: 74 cm


* w. 200 cm also with d. 100 cm



w 140÷*200 cm
d 60 - 80 cm



w 160÷*200 cm
d 80 cm



w 160÷*200 cm
d 80 cm




w 80÷*200 cm
d 80 cm



w 80÷*200 cm
d 60-80 cm




w 80÷120 cm
d 60 cm



w 100-120 cm
d 60 cm




w 120÷200 cm
d 60 - 80 cm




w 120÷200 cm
d 80 cm




w 120÷200 cm
d 124 - 164 cm




w 120÷200 cm
d 124 - 164 cm




w 120÷200 cm
d 124 - 164 cm




w 124 cm **w** 164 cm
d 60 cm **d** 80 cm




w 280÷320 cm
d 124 - 164 cm



w 240÷320 cm
d 124 - 164 cm




w 360÷520 cm
d 124 - 164 cm



w 100÷240 cm
d 124 - 164 cm



∅118 - 140 - 160 cm



∅ 100 - 118 cm




∅ 100 - 118 cm



∅ 60 - 80 cm

Minimo TECHNICAL FEATURES



• Melamine top:

made of 18 mm thick chipboard covered with decorative paper impregnated with melamine resins, edged on the perimeter with 2 mm thick solid abs.
Rounded, 2 mm radius.
Density 620 Kg / m³
Formaldehyde emission class Carb phase II
Fire reaction class: 2.


* Cap applied

• Veneer top:

made of chipboard 18 mm thick covered on both sides with veneer thickness 0.6 mm. and bordered on the perimeter with solid wood thickness. 2 mm. rounded. Painting, after painting, by means of anti-reflective polyester paints, (<40 gloss) oven dried with UV system.
Density 620 Kg / m³
Formaldehyde emission class Carb phase II
Fire reaction class: 2.

• Glass top:


in tempered glass with a thickness of 12 mm, with a bevelled polished edge and a underlying surface sandblasted or lacquered in various colors. The glass tops are fixed to the structure by means of suction cups.




• Extensions:

tops for extensions and fittings including adjustable metal brackets to guarantee coplanarity.

Telescopiche









Fisse



• Beams:

the legs are connected by a pair of telescopic or fixed beams made with 40 x 40 mm square section drawn tubes. At the ends of the beams are inserted the hooking elements to the portal legs in transparent abs;
the extension of the telescopic beams varies from 800 to 1000 mm. - from 1000 to 1200 mm. from 1200 to 1800 mm. - from 1800 to 2400 mm. The extension of the fixed beams is 1400 mm. - 1600 mm. - 1800 mm. - 2000 mm.

Minimo TECHNICAL FEATURES



• Legs:





made of drawn steel tube having a section of 70 x 30 mm and 1.5 mm thick. At the lower ends are inserted the shoes in chromed abs with housed the leveler of about 1 cm in height.

* 1 cm of usable space for fixing hanging typing brackets / linear aggregations and multiple accessories. (CPU holder, cable duct baskets and beam-to-floor fixing)



A. The legs are fitted with a foot H. 2,5 cm in transparent ABS with +/- 10 mm leveler.

B. The leg has 4 holes for fixing a pair of beams.


Minimo CONSTRUCTION FEATURES



• Desks Index :
 d. 60/80/100 desks take a double beam.




• Bench abacus:
 bench and meeting tables take 2 double beams.



• Desk with hanging return:


is an add-on module 60/80 cm deep fixed to the main desk by means of molded joints in glass- filled ABS and steel plates.

N 2 clips are also supplied which, hooked to the beams, guarantee the coplanarity of the tops



• Hanging return on desk high supporting pedestal:

is an add-on module 60 cm deep with load-bearing chest of drawers (3 or 4 drawers) that comes fixed to the main desk by means of molded joints in loaded ABS glass and steel plates, the beams then rest on the load-bearing drawer unit and fixed to the top by means of metric screws, all guaranteeing the solidity of the structure. N 2 clips are also supplied which, hooked to the beams, guarantee the coplanarity of the tops



• Desk with supporting storage:


an 80 cm deep desk with a supporting container under the top. They can be mounted both on the right and on the left. The containers can be:

- Pedestal with 3 or 4 drawers with lock
- Vertical file right left with lock
- Cabinet with 2 doors and lock

The beams rest on the supporting furniture and fixed to the top by means of metric screws, all of which guarantees solidity of the structure.

N 2 clips are also supplied which, when hooked to the beams, guarantee further solidity of the top.

Minimo COMPONIBILITY





• Desk with linear aggregation:

system gives the possibility to add an additional top to the main desk linearly without doubling the leg centrally.

Linear aggregation occurs thanks to the use of telescopic beams which guarantee the sharing of the central leg. The beams and the leg are fixed to the top with metric screws.

N 2 clips are also supplied which, when hooked to the beams, guarantee further solidity of the top.






• Bridge desk on service cabinet:

desk that lays on a service unit. They can be mounted both on the right and on the left. Containers with different dimensions with no pre-holes on the top. The user can choose position of the desk to his liking.

End leg can be

- total bridged
- one reduced leg

During the installation, the legs can be placed simply or fixed after drilling the furniture on site using a metric screw.




• Bench with intermediate leg and high aggregate container (Open Space Container):

workstations for 2 or more people, with a depth of 164. The worktops have a depth of 80. Thus a space of 4 cm is formed between the tops that can be used as cable outlet or screen fixing.


The retracted central leg works thanks to the use of telescopic beams which guarantee the sharing of the leg between the floors. The beams and the leg are fixed to the floors by means of metric screws. Then there is the possibility of aggregating a tall container Open Space Container, only on the depth 80 164 by means of a steel bar fixed to the container that supports the beams. This part must be fixed on the side of the container by means of 2 metric screws. The container has 2 through holes on each side with threaded inserts, thus allowing correct positioning.



A







B.1






B.2

Minimo ACCESSORIES


• Screens



1






2






3



*H. 48 only soundproof fabric



4




5




Minimo ACCESSORIES



Storage box



Metal panel for magnet and smartphone/tablet holder



Metal push pins cork panel and smartphone/tablet holder




A4 sheet tray




Additional A4 sheet tray

Minimo ACCESSORIES




• Modesty panels:

made of 18 mm thick melamine (density 620 kg / mc class and 1 with low formaldehyde emission according to CARB standards, fire reaction class 2). The modesty panels have side brackets that hook onto the beam with a clamp.



• CPU Holder:



CPU holder in metal hanging from the leg of the desks, which can be positioned according to the customer's choice. The fixing takes place through a metric screw that blocks the upper clamp of the CPU holder. Pc case Max. size: L.20 D.46 H.50 cm



• Hanging drawer:

metal drawer with lock and soft-closing guides. Possibility of inserting stationery tray. It is supported by the beams with fins and fixed with 4 screws to the floor.


Minimo DESKTOP ELECTRIFICATION



1 **Ø 8 cm**
Square grommet plug




2 **Ø 8 cm**
Round cable grommet




3 **Ø 8 cm**
Versapad
n.1 USB "A", n.1 USB "C"
n.1 electric socket




4 **Ø 8 cm**
Wireless charger




5 **26X11,6 cm**
Plastic top access



6 **35X10 cm**
Top access aluminum



6.1 **35X10 cm**
Socket block for
n.1 USB "A", n.1 USB "C"
n.3 electrical sockets



7 **26,2X12,3 cm**
Double-sided top access





8 **Ø 3,5 cm**
USB charger
n.2 USB




9
Socket door block
n.1 USB "A", n.1 USB "C"
n.2 electrical sockets

Minimo UNDER DESKTOP ELECTRIFICATION




1
Cable tray in chrome



2
Chrome cable tray for bench



3
Cable tray metal sheet




4
Cable tray metal sheet




5
Cpu holder



6
Fabric cable vertebra



7
Intermediate leg cover



8
Cable vertebra



9
Vertical magnetic cable tray for leg attachment

Minimo FINISHES

STRUCTURE



LEVELLING FOOT




TOPS, MODESTY PANEL, SCREENS *



• Melamine



• Metal



FG: The raw steel finish "FG" emphasizes the "industrial" nature of the metal thanks to a transparent protective treatment. Differences in shades, abrasions, stripes and welds are typical of the raw material and subsequent processes, and are among the characteristic elements of the product, therefore not claimable.


• Plastic



• Veneer (only tops and modesty panels)



• ABS edge (only tops)




Minimo FINISHES

• Glass (only tops)




• Lacquered matt (only screens and modesty panels)




MIRAGE


• Fabric (screens only)




NEMI MELANGE



FENICE



CONVERT MEL 4000



aura design



Hub Spaces, 582 Honeypot Lane, Stanmore, HA7 1JS, UK
www.auraadesign.co.uk
020 3915 8008
info@auraadesign.co.uk